App. F. IX-4

Previous References

1928.
(Mayrai)

File No. 285-2

Serial Nos. 1- 14

Later References

Mag 263-27-1-2
... 32-1-
Mg 110-28-1-4

General and Revenue Secretariat.

Serial Nos. 14.

Part B for November 33

SUBJECT.

Improvements to the Ghati Subramanya Swami temple Doddaballapur
& Taluk.

To The Mag Coor
" Com ftus
" Chief Engineer

No 636-89 10-11-33

Sanctioning estimate for Rs 1600
for water supply to Ghati Subramanya
& Jatra grounds

Dewan's visit to Ghati Sri Subrahmanyaswamy Jatra and cattle show, Doddaballapur Taluk.

Sunday, 20th January 1929.

.....

(1) The Dewan visited the Ghati Sri Subrahmanya Swami temple in the Doddaballapur Taluk and the Cattle Show on the 20th January 1929 and at the request of the Deputy Commissioner and the Dharmadarsis of the temple distributed the prizes to the owners of the cattle adjudged the best by the Committee of Judges.

(2) Some representations about the temple and the Show and the Taluk in general were made to the Dewan on the occasion. These, together with the Dewan's observations on other matters that came to his notice, are given below and action should be taken as indicated against each subject by the Departments concerned:-

29
D1146
mur 285-28-

1. The Dharmadarsis wanted the "Rangamantap of the temple, now covered by matting to be provided with a Mangalore tiled roof. This is necessary and, as the funds at the credit of the temple is said to amount to about Rs.15000/- the small cost involved may easily be met from these funds.

x x x x

4. The Dharmadarsis of the temple wanted that a "Gopuram" should be built for the temple as also a suitable processional car - "Ratha". The temple is certainly in need of improvement

by the addition of parapet walls on the top, a Gopuram with Kelasas &c. The Consulting Architect may be requested to prepare suitable designs and estimates for the work. A small car, capable of being easily handled, is also necessary. The cost of the above improvements may easily be met from the funds at the credit of the temple, together with a small contribution from Government, if necessary.

x x x x x

Sc
I

Draft, Granted for Canonization.

4770/8/2

2991/9/2.

2 To. Mur Com- No 15718

Requests him to examine the requirement & take necy action as the Amt is small & the Same can be easily met from the temple funds without

Memo No D2 DRS 10857/28-9 dated the 9th/12th April 19 of the Inspl Comm enclosing a copy of his letter to the Dy Comm, Bangalore Dt, requesting him to sanction the estimate for roofing, with terrace, the Rangamantapa of the Sri Ghati Subrahmanya Swami temple in the Doddaballapur Taluk the Charge [illegible]

NOTE—Contn. sheet

Serial No.

Credit of the Constitution.

1) Subd for perusal. Further report will be awaited C.S.

19/4/29

1st Member

22/4/29

Tg/4

10) Secy 21-4-29

LLW 24/4

WD 021—GPB—30,000—21-8-28

Memo No. 624 dated 21st January 1929.

Dewan's visit to Ghati Sri Subrahmanyaswamy Jatra and cattle show, Doddaballapur Taluk.

GEN. & REV. SECRETARIAT
MUZRAI

Sunday, 20th January 1929.

.....

The Dewan visited the Ghati Sri Subrahmanya Swami temple in the Doddaballapur Taluk and the Cattle Show on the 20th January 1929 and at the request of the Deputy Commissioner and the Dharmadarsis of the temple distributed the prizes to the owners of the cattle adjudged the best by the Committee of Judges.

Some representations about the temple and the Show and the Taluk in general were made to the Dewan on the occasion. These, together with the Dewan's observations on other matters that came to his notice, are given below and action should be taken as indicated against each subject by the Departments concerned:-

1. The Dharmadarsis wanted the "Rangamantap of the temple, now covered by matting to be provided with a Mangalore tiled roof. This is necessary and, as the funds at the credit of the temple is said to amount to about Rs.15000/- the small cost involved may easily be met from these funds.

x x x x

4. The Dharmadarsis of the temple wanted that a "Gopuram" should be built for the temple as also a suitable processional car - "Ratha". The temple is certainly in need of improvement

1929
01147
285-2-3

by the addition of parapet walls on the top, a Gopuram with Kalasas &c. The Consulting Architect may be requested to prepare suitable designs and estimates for the work. A small car, capable of being easily handled, is also necessary. The cost of the above improvements may easily be met from the funds at the credit of the temple, together with a small contribution from Government, if necessary.

x x x x x

1147

App. F. III—2]

General and Revenue Secretariat. File No. 285 of 1928-29

Serial No.

No. 4769.

3 of 4
9.2.

11) Draft Rules for Commissioner (Member) 12) 28 7/2

Hm
6/2

13) Time 5 2:5 h

14) Hm 11/2

15) To,
Hon'ble Commr No 27
Requests him to examine the requirements [illegible]

Hm
14/4

Contn. Sheet.

WD 01714—GPB—30,000—18 4 28

2006
28-9
one

Office of the [illegible]

25

[illegible]

5138

DEWAN'S OFFICE
1 MAR 1930
No. 3788

GENL. & REVENUE
27 FEB 1930
1366
[illegible]

[illegible]

Sir,

[illegible]

Mes 285

[illegible]

1st member

25/

28/2/30

To be placed in the Connected file.

Recorded
WW
5/3

If approved, this file of papers will be sent to the Dewan [illegible] for information.

Dewan

5/3

5/3

6/3/30

Letter No. C.3.1503/ 3- 3 dated 1.6th [illegible].50 from the Deputy Commissioner, Nellore District, to the Luzrai Commissioner, Madras.

With reference to our circular No.C.3006/28-3 dated 19th January 50 enquiring as to whether the work of improving and roofing with terrace the Sanggamanta am of Sri Chinti Subramanyaswami Temple, Doddaballapur, Taluk, has been completed etc., I have the honor to state that the Amildar Doddaballapur taluk, reports that the work has been completed already, and has submitted the completion bill for sanction.

" C o p y "

For Luzrai Commissioner.

General and Revenue Secretariat. File No. 285 of 192 .

Serial No.

1 o Letter No C1270/29-30 dated the 21st March 1930 from the Surgeon General to Government suggesting for reasons given, that the question of construction of a Mahá Devala to the Sri Subrah Manyaswamy temple at Ghati in the Doddaballapur Tk may be postponed for the present and stating estimates for the other improvements of the temple had been called for and necessary action would be taken on receipt of same.

Submitted for the consideration of Government.

1st Member 1/4

Dewan

(LW) 1/4

21

DEWAN'S OFFICE. 5 - APR. 1930 No. 14257

5914

9/4/30

Note—Contn. Sheet

General and Revenue Secretariat | File No. 285 of 1928.

Serial No.

8 Letter No C 743/29-30 dated the 29th April/14 May 1930 from the Imperial Commissioner in Mysore forwarding a copy of his letter to the Chief Engineer of Mysore about obtaining sanction to an estimate for Rs 3564/- for metalling the road and replacing the drain across the road leading from the Anklidurg Railway Station to the Sri Venkateswara Swamy temple at Ghati Subbarayanapura Dt., the cost being met from the funds of the temple.

Send for perusal. Of additional formal communication on the subject from the Chief Engineer will be considered.

CB 7/5/30

7/5/30

Note—Contn. Sheet

Serial No.	
9	Letter No 7873 dated the 22nd Nov 1930 from the Chief Engineer of Mysore forwarding for sanction an estimate amounting to Rs 4,900/- (as revised in his office) for metalling the road and repairing the Irish drains across the road leading from Mallikarjuna Railway Station to Sri Subrahmanya Swami temple at Ghati in the Doddaballapur Tk the cost being met from the funds at the credit of the said Institution As the necessity for the work is explained in the report which accompany the estimate, same is placed before Government for consideration 26/11/30 1st Member) VS 26.11.30 CSK 27/11 Issue VS 27.11.30

OFFICE OF THE FIRST MEMBER OF COUNCIL 26 NOV 1930 No. 5354

WD 01684—GPB—30,000—20-4-29

To

The Chief Engineer,
" Mys' Cars
" Comptrolr

Lanchars estimate referred to in Sl. 9

Secy R
Visit pending Orders
Please recommend
thereon - MSR
1-12-30

Mahadevan - to be postponed
Car - Estimate under consid
Flooring pathways round Rly
Reps road from Rly to Temple &c

To M.C no 1470 of 5-1-30

Requesting him to furnish information in the form in which action has still to be taken and arrangements proposed in respect of the cases.

Memo no 1743/29-30 dated the 10th January 1931 of the Mysore Cars in response forwarding for information a copy of his letter to the Chief Engineer of Mysore requesting issue of necessary instructions to the Executive Engineer, Bangalore Dn to maintain the metalling of the road and repairing the Irish drain across the road leading from

General and Revenue Secretariat — File No. 285 of 1928

Serial No.

Making Railway Station to the Sri Subramanya Swamy temple at Ghati.

Sent for Financial

5723/15/1

Secy 16.1.31.

24) C.E. M.S.K. 14/1/31 H. Secy)

15.1.31

8D) h 15/1 VS

Per C.C. : Nothing to be communicated to the party. Murrai Rly Letter 24/1/32

31) The Financial Secy wants to know if any reference has been received from the Murrai Com regarding the construction of a car for the Ghati Subramanya temple. The DC Bangalore said that he has sent proposals for this.

32) No reply has been received from Murrai Com, please ascertain informally from that office when it is coming here

Ans 25/1

With reference to the Asst Secy's orders in the margin it is submitted that the question of providing a car to the Sri Subramhanya Swami temple was ordered to be taken up for consideration in the Dewans minute § 20/1/1929 vide pages 1+2 of the file.

In this office letter No 1580/Mis 285-28-4 § 12/13-2-1929 ~~to~~ the Mys Com was requested

NOTE—Contn. sheet

WD 02553—50,000—GPB—8-7 30

to examine and report about the question

2) In his letter dt 15-3-1930 the Mez Cmsr reported that the South Indian Car builder has submitted an estimate for Rs 12000 for constructing only the lower portion of the car and that the Dy Cmsr Bangalore District has therefore been requested to get an estimate for a complete car and that further action would be taken on receipt of the same from that officer. (C7)

3) In his latest reply (dt 12-1-32) to our reminder about pending cases, the M C reports as follows on this subject:- "This file is awaiting orders of this office on the construction of a car to the temple ~~which~~ which is under submission. D's report has been received."

4) From the above it is seen that ~~no~~ specific proposals in the matter are still awaited from the Mez Cmsr.

5) Draft to M-C calling for early submission of the ~~pro estimate etc~~ his proposals. is submitted for consideration

There will be opened

TYPING SECTION 27 JAN 1932 12.45 GENL & REV SECTT.

For perusal

7/Febry

Issued

Construction of a car for the Sri Subramanyaswami Temple at Dorbalapam

General and Revenue Secretariat

[App. F. III—2

File No. 285 of 1928

Serial No.

Letter No. 1370 of 18-2-32 from the Mudrai Commissioner stating that the steps taken by him for affording water facilities at Ghati Dorbalapam Taluk and recommending sanction to the construction of a car of the old type at an estimated cost of Rs 10,010/—

35 i) The receipt of a final report as to the water facilities at Ghati Dorbalapam is awaited if asked.

ii) The modified estimate re: the metalling of the road leading from the Rly Station to the Sri Subramanyaswami Temple & the drains will be awaited in the circumstances stated in para 3 of the P. W. D.

iii) The construction of a new car for the temple at a cost of Rs 10,010/- is for order.

The design of the car proposed to be built is after the cars at Nanjangud and Chamarajanagar.

40 For orders

Gr 20/2

41) Kind copy is invited to the notes of the Dewan's visit to Ghati Subramanya on 21. 1. 29. The two points that required attention are

(1) Mangalam tiled roof to be provided for Ranga Mantap of the temple and

(2) Gopuram to be constructed for the temple with kalasams and addition of parapet walls on the top and

NOTE—Contn Sheet.

(3) Construction of "a Small car Capable of being easily handled."

(4) "" In addition to the above the question of additional Mussaphirkhana & purchase of Vessels at a cost of Rs 3400/- is pending (Please see linked file)
Muz File No 440 of 25.

The Muzumdar Committee has taken up the question of Water Supply Vide para (1) of the P. W. D. and the Metalling of the approach road has been sanctioned also.

"!" The total amount at the credit of the Institution at the end of Dec- 1931 is Rs 18114-1-4 as reported by the M. C. Out of this M. C. Solicitor Sanctioned for the Construction of a car at a cost of Rs 10000/-; he says he has asked the D.E. to arrange to sink wells (about half a dozen) within a cost of Rs 2000/- and that a further depth will be dug & Metalling of approach road at a cost of Rs 2566/- (as against Rs 4000/- sanctioned) as per Dharmadarsi's opinion.

The 1st of the above noted items has been attended to & no further action is necessary.

As regards the car that the Dharma Sahib wanted was "a Small car Capable of being easily handled". The present estimate of Rs 10,010/- is for a car after the model of Navjanagrad & Ch. Nagar cars. Perhaps this will not be "a Small car capable of being easily handled". There is a Small car at Mudhkhera

Car for Sri Ghati Subramanya Swamy

[App. F. III—2

General and Revenue Secretariat — File No 2[illegible]5 of 1928

Serial No.

Constructed last year by a Bryant Engineer which answers to the description given in the Dewan's ~~Estate~~ note. This will cost not more than Rs 3000/-. It is a question why a small car of this type should not be got Constructed and the balance of amount utilised for other purposes.

If the above should commend itself, a sum of Rs 7000/- will be set free and can be utilised for parapet wall & Gopuram with Kalasam as per Inspection note of the Dewan Sahib.

As a place of pilgrimage like Ghati Subramanya it seems desirable to provide facilities to the pilgrims by affording shelter & drinking water. Whether half a dozen wells can be sunk on hill top within a sum of Rs 2000/- is a question for consideration. Perhaps two good wells with four pulleys each will do

Further report promised re metalling etc of the approach road will be awaited.

88
24/2/32

Fin Secy) yes with the above.

I 1st member) I also think that not 18 3 32 — 18/3/32
Wire to spend Rs 10,000 on a Car.
May be submitted to Dewan.

Dewan
20/3/32

22/3/32

Dewan

23-3-32

24/3/32

OFFICE OF THE FINANCIAL ADVISER
FILE
1
8879.

DEWAN'S OFFICE
6260
28 MAR. 1932

NOTE—Contn Sheet

WD 70—GBPM—60,000—13-8 31

File No. of 193 General and Re Secretariat

Please put up revised draft as instructed.
30/3/32

Revised draft submitted for approval
31/3/32

Issued.
2/4/32

2 APR 1932

Letter No. 1408 of 5.4.32 from the H.C. Council. Sus 7/4/32

Letter No 743/29-30 of 2.8.32 from the Muzrai Commissioner submitting a report of action taken in regard to the requirements of Sri Subrahmanyaswami temple at Ghatti Doddaballapur Taluk.

(1) The P.W.D. will be requested

Submitted for perusal
19/8/32 744

22/8/32

24/8/32

25/8/32

2 AUG 1932 No. 1286

General and Revenue Secretariat — File No 21 — of 193

Serial No.

Letter no 105'20 dy 17.4.1933 from the Chief Engineer forwarding for sanction modified estimate amounting to Rs 2585/- for Metalling the road and repairing the Irish drain across the road from Makaliduy Railway Station to Sri Subrahmanya Swamis Temple at Ghati Doddaballapur Taluk. received from the Mysore Commissioner —

(60) In para 2 of his letter dy 28/3/33 the C.E. the M.C. refers to the modified estimate for Rs 2566/--, the previous estimate for Rs 4900/- being cancelled In the D.O. the C.E. says that the modified estimate is for Rs 2585/- & requests sanction of this is for error —

(61) The amount of Rs. 2566/- mentioned in para 2 of the M.C's letter dy 28-3-33 appears to be a mistake, as in para 1 of the same letter the Chief Engineer has been asked to obtain sanction to the modified estimate for Rs. 2585/-. This fact has also been verified informally from the chief Engineers office.

(62) The modified estimate for Rs. 2585/- may be sanctioned as recommended by the C E

Recd 28/5/33

The modified estimate for Rs 25 may be sanctioned.

8/5/33

2nd M.

10/5

10/5

Second Member's Table
10 MAY
No. 562
NOTE—Cantin Sheet

WD 02533—G P B—50,000—8 7 33

General and Revenue
Secretariat

Colombo 17/5/33

[illegible] No 11911 - 09 25/5/33 Amounting to Rs 16800/- the Revised estimate for Widening the road and Providing two Rock Drains around the Shrine

Letter No C 438/33-34 of 30 & 33 addressed to the Municipal Commissioner forwarding for sanction an estimate for Rs 17680 for the Subject quoted & Sri Subrahmanya Swami temple at Kachchai Vedivarai Road & requesting also the grant of a loan of Rs 6000/- to the temple from the funds of Sri [illegible] Sri Subrahmanya Swami Temple at Suggamahalle Nagadi Jaffna.

The Municipal Engineer has prepared the estimate for Rs 17680/- for Widening the Road, Tools & Plant Charges as a Special case & also for granting a loan of Rs 6000/- at 6% per annum from the funds of Sri Subrahmanya Swami temple at Suggamahalle Nagadi Jaffna to Sri Subrahmanya Swami temple Kovil for works.

Amounting to Rs 16800/-

As regards Widening the Roads Etc. Charges, it should be noted that the Municipal Engineer has prepared the estimate for Rs 17680/- for Widening the Road, Tools & Plant Charges as a Special case & also for granting a loan of Rs 6000/- at 6% per annum from the funds of Sri Subrahmanya Swami temple at Suggamahalle Nagadi Jaffna to Sri Subrahmanya Swami temple Kovil for works.

As regards Widening the Roads Etc. Charges, it should be noted that the Municipal Engineer has prepared the estimate for Rs 17680/- for Widening the Road, Tools & Plant Charges as a Special case & also for granting a loan of Rs 6000/- at 6% per annum from the funds of Sri Subrahmanya Swami temple at Suggamahalle Nagadi Jaffna to Sri Subrahmanya Swami temple Kovil for works.

The file may be sent U.O. to C.E.

GS [illegible]

6/10

9

11 engineers of Sri Subrahmanya Swamy temple at Ghati Subramanya in

File No. 285 of 1932.

Serial No.

70) If approved this will be sent D.O. to the C.E. for favour of opinion re waiving of Estt & tent charges. After his opinion is received the Estimate may be sanctioned & the proposal to take a loan of Rs 6000/- for the Malari Talak Improvements of Karasimha Swamy temple may be approved.

15/10/33

71) Vide margin

20.10.33

2/21/10

72 Yes

20-10-33

U.O. No 5-6 dt 23-10-33.

72 Forwarded with Compliments to the Chief Engineer for favour of opinion—

B Muthuchinatha
28/10/33

Dno 153
26/10/33

73 Under the circumstances the Estt & T & P charges may be waived

M.G. Rao
31.10

Dno no 153
Secl. 4/11/33

74 Secretary
With compts

In the circumstances explained in para 3

NOTE—Contn. Sheet.

Water Supply, Cleone

File No. 3 of 193. General and Secre

DEWAN'S OFFI
3035
9. NOV. 1933

this letter dated 25/30 - 9. 33, his proposals referred to abA above may be sd

ASD 2.11.33 2/11/33

2d Member

Office of the Second Member of Council, 3 NOV. No. 2704

Maybe Sanctd

Spn 3/11 ASD 2/11/33

761 A draft Govt order sanctg the estimate and the other proposals of the M.C is putup for approval.

BSK 9/11

77) Draft up typed draft as revised. 9/11/33

Typed Draft as revised submitted Ker 3/11/33

79) For approval 9/11/33

Dewan)

Draft approved. For perusal before issue

ASD 9.11.33 9/11/33

9-11-33 As desired 10/11

TYPING SECTION * 10. NOV. 1933 CENL & REV. SECT

General and Revenue Secretariat 1743 File No. 285 of 1938. [App. F. III—2

Serial No.	
14	Sanctioning the estimate dt 8/11/33 for Rs 16000 only

Noti—Contn. Sheet

W D 70—GBPM—60,000—13-8-3.

FG—1

SUBJECT.....

.....

.....

Section Immigration

File No. 285-28

Serial No. 2

No. 1579

Diary No. of letter replied to 1146

General and Revenue Secretariat

(Immigration)

the *192*

To

The Immigration Commissioner

Rangoon, Bangalore.

Date of issue 13/2/28

Signed by K. Ramamurthy Rao,

I am directed to state that when the Hon'ble Minister visited the Shri Sankaracharya Ayurvedic Temple in the Basel Mission Premises on the 30th January 1928 I accompanied

List of enclosures .....

Copied by.....

Examined by.....

over

of the institution requested that the "Rangamandap" of the temple, now covered by matting, may be provided with a mangalore tiled roof.

As the change suggested is a desirable necessary one, and the cost involved is small and could be easily met from the funds at the credit of the institution, I would request you to be good enough as to take necessary action in the matter at an early date.

A report of action taken in the matter might be forwarded to me for information in due course.

I have &c

M/ 7/12
Dpt. by the Secretary
1/24

No. ಪ ವಿಭಾ 1095-285

FINANCIAL SECRETARY
15 APR. 1929

ಪ/1574

Copy of the above is forwarded with compliments to the ----
Financial Secretary to Government of His Highness the Maharaja of Mysore for information with reference to his letter No.1579 Muz.285-28-2 dated 12/13th February 1929.

19.1568

15

R. Narasimhachariyar
Asst. Land Commissioner
for Muzrai Commissioner.
Bangalore Cantonment

WD 546-GPB

1929 .

From

The Muzrai Commissioner in
B a n g a l o r e.

To
The Deputy Commissioner,
Bangalore District.

Dated 9th A p r i l 1929.

Despatched 12

Received

General No.
No.

Enclosure No.

Sir,

With reference to your letter - No.T.3-4509 of 28-29 dated 21st March 1929 submitting for sanction an estimate for Rs.120/- prepared by the --- village - nchayet Inspector for ---- Improving ord roofing with teriace th [illegible] of the Sri Kreti Subraha manyaswamy temple, Doddaballapur Taluk I have the honor to request that the estimate may be sanctioned by --- yourself from the funds of the institution after getting the estimate ---- scrutinized by the Public Works Depar [illegible] the work may be start - and -- completed early.

The enclosures received with your letter are returned.

I have the honor to be,
Sir,
Your most obedient servant,

(Sd.) P. G. D'Souza,
Muzrai Commissioner.

dix F G–1

SUBJECT.....

.....

.....

Section Inwards

File No. 285-28

Serial No. 4

No. 1589

Diary No. of letter replied to.. 1667

General and Revenue Secretariat

(Inwards)

the *192*

Date of issue 13/2/29

Signed by M. K. Sorabjee

To

The Inwards Comm
to Mysore, Bangalore.

Sir,

I am directed to
state that when the
~~Hon'ble~~ Diwan visited
the Ghati Sri Subrah
manyaswami temple
in the Doddaballapur
Taluk on the 2nd
January 1929, the
Dharmadarsi of the
institution, an Iyen
stated that a proposal

over

List of enclosures . . . . . .

Copied by. . . . . .

Examined by. . . . . .

WD 0399—GPB—20,000 –18-9-28

should be built for
the temple, and a
suitable procession
can provided.

The temple is ~~[illegible]~~
in need of improvements
by the addition of enameled
walls on the N., a column
with balances &c and the
County Architect to [illegible]
may be requested to pre-
pare plans — designs
and estimates for the work.
A small case, capable of
sitting comfortably handled,
is also necessary to the
institution.

I am to suggest you
to be prepared as to
the exercises to succeedingly
examine these require-
ments of the institution
and [illegible] suitable
[illegible] on the [illegible]
at a very early date

I have &c

[illegible]
[illegible]

Ma
9 2 29

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE,

Bangalore, 8th *192*

DEWAN'S OFFICE, 15 OCT 1929 No. 1597

No. 1366 Enf 28-9.

FROM

M. L. Sivaramaiah, B.A., L.T.,

The Muzrai Commissioner in Mysore.

GOVT SECR. 1 OCT 192. MUZRAI 19588

FINANCIAL SECRETARY 30 SEP 1929 To 4202.

D. Srinivasa [illegible], [illegible], [illegible], [illegible],

[illegible]

[illegible]

[illegible]

SIR,

[illegible]

Sealed for perusal with the previous papers. Receipt of the report promised may be awaited.

Ref. Dewan's Memo dt 21/11/29.

for [illegible]

(absent on leave)

Dewan

Memo, 13/10/29

Letter No.C5-4503/38-39 dated 3rd September 1939 from the Deputy Commissioner, Bangalore District to the Municipal Commissioner in Mysore.

Subject:-

Providing Kalasam to the Gopuram and a car to the Ghosti temple

---

With reference to your letter No.1506/38-39 dated 8th February 1939 forwarding copy of letter No.178/Mun.235-38-4 dated 15th February 1939 on the above subject, I have the honor to state that it is reported by the Builder, that he inspected the Gopuram of the temple in question in company with the Executive Engineer, Bangalore Division and the Assistant Engineer, Kodihalpur Sub Division on 21st February 1939 and found that the present pattern and structure of the Gopuram is not well suited being too low and that it required alterations and that the Executive Engineer has issued instructions to the Assistant Engineer to prepare a suitable plan and estimate for the purpose and that a plan is awaited from the Executive Engineer.

2. As regards the construction of the car, a plan and estimate for Rs.3503/- prepared by one Mr. Channalesavaiah of Devanahalli received in this office, was sent to the Superintendent, Central Industrial Workshop, Bangalore for his scrutiny and views. But he writes in reply, that, the present plan, does not give the details that go to build up the whole car and suggests that tenders may be called for, requiring the tenderers to give details of their design and cost and further adds, that it is better for the consideration of the Dharmadarsis if this small structure costing Rs.3000/- will be suitable for this temple. I have therefore called for the views of the Dharmadarsis, in the matter once again and on receipt of the same further action will be taken in the matter.

Copy

Municipal Commissioner.

C. 13]

12220

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE,

Bangalore,.....21st. March.....193 0.

No. C1270
28-30

FROM

Rajakaryapravina
P. G. D'SOUZA, ESQ., B.A., B.L.,
Muzrai Commissioner in Mysore.



To

Muz 285 28-7

Rajasevaparayana
P. Srinivasa Iyengar, Esq., B.A., B.L.,
Secretary to the Government of Mysore,
Financial Department,

SIR,

With reference to your letter No.1580 Muz.285-28-4 dated 12/13-2-3 in the matter of providing a Mahadwara and a car to the Sri Subrahmanya Swamy Temple at Ghati, Dodballapur Taluk, I have the honor to state that that the Deputy Commissioner has submitted an estimate for Rs.2550/- for building the Mahadwara according to the design furnished by the Consulting Architect. The Dharmadarsis have also agreed to the work being done and the cost met from the institution funds. But the institution has got only a cash balance of Rs.19,193-11-4 as it stood on 31-1-30 and Rs.1000/- invested in 6½% State Loan and the marginally noted 4 works

1. Extending the Musafirkhana and providing furniture and vessels.
2. Flooring the prakara with burnt stone slabs.
3. Repairing the road from the Ry. Station to the temple,
4. Providing a new car.

are found to be more urgent than the construction of the Mahadwar the question of sanctioning the estimate for the latter will ha to be postponed for the present

As regards the construction of a car, the South Indian car builder had furnished an estimate for Rs.12,000/- for only the lower portion of the car. The Deputy Commissioner has been requested to get an estimate for the complete car, on receipt of which necessary further action will be taken.

An estimate for Rs.1767/- for item No.2 viz., for flooring prakara with burnt stone slabs has been sanctioned by me.

The Deputy Commissioner has been asked to furnish estimates for

the remaining items and necessary further action will be receipt of the estimates.

I have the honor to

Sir,

Your most obedient servant,

R. Narasimha Ayy
For Muzrai Commissioner
Will Absent from station

A.A.".

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE,

Bangalore,.....~~30th April~~ 1st May.....*193* 0.

No. C 743/29-30 one file

FROM

Rajakaryapravina
P. G. D'SOUZA, ESQ., B.A., B.L.,
Muzrai Commissioner in Mysore.

To

The Chief Engineer of Mysore,
BANGALORE.

GENL. & REV SECTT. 2 MAY 1930 1748 MUZRAI.

Mlg 285-28-8

SIR,

I have the honor to forward herewith for favour of scrutiny and submission to Government for sanction an estimate for Rs 3564/- prepared by the Executive Engineer, Bangalore Division, for metalling the road and repairing the Irish drain across the road leading from the Kalkidrug Railway Station to the Sri Subrahmanyaswamy Temple at Kodi Doddaballapur Taluk, and received with correspondence ending with letter No.J.3.11d9/29-30 dated 16-4-30 from the Deputy Commissioner, Bangalore District.

The cost of the estimate is proposed to be met from the funds of the Sri Subrahmanyaswamyswamy Temple.

The entire file with a copy of the Deputy Commissioner's letter is enclosed.

I have the honor to be,

Sir,

Your most obedient servant,

Sd/- R.A.Narasimha Aiyangar,

For Muzrai Commissioner.

C 743/29-30 dy 1-5-30

Memo.

Copy of the above is forwarded with compliments to the Financial Secretary to Government, for information in continuation of this office letter No.C.1270/29-30 dated 21-3-30.

For Muzrai Commissioner.

Public Works Department,

Central Office,

No. 7873

Dated, Bangalore, 22nd November 1930

ENC. 1 Copy of letter
1 Report
1 Estimate for Rs 4900/-
1 tracing
2 files with original estimate

FROM M.G.Rangaiya, Esq., B.A., B.E., M.R.San.I., M.Am.A.E.,
~~J. BHORE, Esq., A.M.I.C.E., Etc.,~~
Chief Engineer of Mysore,
Bangalore.

285-28/

To

The Financial Secretary to Government,

Bangalore

Mug. 285-28-9

Subject:- Metalling the road and repairing the Irish drain across the road leading from the Maklidrug Railway station to Sri Subrahmanyaswami Temple at Ghati, Hodballapur Taluk.

Sir,

In continuation of this office D.O. letter No.252 dated the 4th October 1930, I have the honour to forward herewith, for favour of sanction, an estimate amounting to Rs 4,900 (as corrected in this office) for the above work, together with a report.

2. The work is reported to be urgent and has to be executed before the ensuing Jatra. If this is to be done, immediate sanction has to be accorded.

3. The cost of the work is proposed to be met from the funds at the credit of the Temple.

4. A copy of Muzrai Commissioner's letter No.677/30-31 dated the 7/8th November 1930, together with the file of correspondence on the subject, is enclosed for reference.

I have the honour to be,

Sir,

Your most obedient servant,

M G Rangaiya
10.11.30

V.M.S.

Chief Engineer of Mysore.

Letter No.677/30-31 dated the 7/8th November 1930 from the Muzrai Commissioner in Mysore to the Chief Engineer of Mysore.

Subject:- Repairs to the road leading from Maklidrug Railway Station to the Sri Subrahmanyaswami Temple at Ghati.

With reference to your memo No.14576 dated the 26th May 1930 on the above subject, I have the honour to forward herewith a revised estimate for Rs 4,787 prepared by the Executive Engineer Bangalore Division and received with Bangalore District Deputy Commissioner's letter No.A.3.1189/29-30 dated the 25th October 1930. A copy of the Deputy Commissioner's letter is also enclosed.

As the work is reported to be very urgent, sanction to the estimate may be obtained early, the cost being met from the funds of the temple as already proposed in this office letter No.C 743/29-30 dated the 1st May 1930.

"C o p y"

for Chief Engineer of Mysore.

M.N.S.

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read:-

Correspondence ending with letter No.7875 dated the 22nd November 1930 from the Chief Engineer of Mysore forwarding for sanctioning an estimate amounting to Rs.4,900/- (as corrected in his office) for metalling the road and repairing the Irish drain across the road, leading from Hiriyur Railway Station to Sri Subramanya-swami temple at Gnati in the Doddaballapur Taluk, the cost being met from the funds at the credit of the institution.

Order,No. 1221-3/Miz 285-28-10 Encl. 5 files containing 1 Report 1 estimate 1 Drawing 2 [illegible]

Dated, Bangalore 27th November 1930.

sanctioned.

V Subramanya

for Financial Secretary to Government.

C.E.

To

The Chief Engineer with the sanctioned estimate and other enclosures.

" Mysore Commissioner in Mysore.

" Comptroller to Government.

G.R.S. VI G-2]

SUBJECT . .....

.....

.....

Diary No. of letter replied to 760 ...

Sec. Mysore

File No. 285 2

Serial No. 10

General and Revenue Secretariat

(Mysore

the 193 .

Proceedings of the Government of His Highness the Maharaja of Mysore.

Date of issue .. 27/11/30 .....

Signed by . V S Sastri

Read—

Correspondence ending with letter No 7813 dated the 22nd Nov^r 1930 from Chief Engineer of Mysore forwarding for sanction an estimate for Rs 4,900/- for executing in his division metalling the road and the Gurgi channel across the road leading from

May this be

(i) Printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ? E

Order Thereon No.

Markhedwadi Railway
station to Sri Sukra-
maniyaswami Temple
at Kyathi in the Dodda
Ballapur Tk, the cost
being met from
the funds at the credit
of the institution
order No 1221-3 Sanctioned

One file & Corrn
one Report
one estimate
one Drawing
2 files containing
original
estimate

26.11.30 Submitted to Govt

To the Ch. Engineer with
the sanctioned Estimate
& other enclosures,
The Inspector Concerned.
The Comptroller to Govt
G.O.,
26/11/30

List of enclosure

Copied by

Examined by

WD 02560—GPB—11,250—2 7-30

OFFICE OF THE MUZRAI COMMISSIONER
IN MYSORE,

Bangalore, 8th January ..... 193 0.

FROM Y. NARASINGA RAU, Esq., B.A., B.L.,
In Charge *Muzrai Commissioner in Mysore.*



To

M. G. Rangaiya, Esq., B.A., B.E.,
Chief Engineer of Mysore,
BANGALORE



SIR,

With reference to Government Order No.1221-3 Muz.285-28-10 dated 27-11-30 sanctioning an estimate for Rs.4900/- for metalling the road and repairing the Irish drain across the road leading from Maklidrug Railway Station to the Sri Subrahmanyaswamy temple at Ghati, Doddaballapur Taluk, I have the honor to forward herewith a copy of letter No. CB-1891/30-31 dated 26-12-'30 from the Deputy Commissioner, Bangalore District, recommending that the work may be deferred as this year's Jatra has been stopped and to request that necessary instructions may kindly be issued the Executive Engineer, Bangalore Division, to postphone the work.

I have the honor to be,

Sir,

Your most obedient servant,

Sd/- Y. NARASINGA RAU,

In Charge Muzrai Commissioner.

1743 29.30. 10/1/31

Memo.

Copy of the above is forwarded with compliments to the Financial Secretary to Government for information.

Narasinga Rau

In Charge Muzrai Commissioner.

Mg 285—28

M. C. 13]

No. 1370/Jdl
30037

OFFICE OF THE MUZRAI COMMISSIONER
IN MYSORE.

Dated, Bangalore, ... 11th Dec 13 193-

FROM

S. HIRIANNAIYA, ESQ,. M A., B.L.,
Muzrai Commissioner in Mysore

To

Rajaswamiar, B A
B. Srinivasa Iyengar, Esq., I. C. S., L. C.,
....
Secretary to the Government of His Highness
the Maharaja of Mysore
Law Department

SIR,

[illegible] with [illegible] .359 [illegible] jamu [illegible] te [illegible] Rs.3/- [illegible]

Railway station to the temple an estimate for Rs.4900/- has been sanctioned in Government order No. 1221-3/Muz.285-28-10 ~~xxx~~ dated 27th November 1930. But the Deputy Commissioner agreeing with the Dharmadarsis of the institution has submitted a modified estimate for Rs.2566/- for repairing the Irish drain and the road and states that the Dharmadarsis are not in favour of effecting repairs at a heavy outlay of Rs.4900/-. The modified estimate will be submitted in consultation with the Chief Engineer.

4. As the Institution had a sum of Rs.18114-1-4 at its credit in cash and in investment at the end of December 1931 only the 3 items referred to above could be taken up leaving sufficient balance for the current expenses of the temple. All other items will have to lie over until sufficient funds accumulate to the credit of the temple.

The design of the car, the estimates given by the car buildar and the workshop Superintendent and the connected records are herewith enclosed for reference and early orders.

I have the honor to be,

Sir,

Your most obedient servant,

Muzrai Commissioner.

F G—1]

SUBJECT .....

.....

.....

Section

File No.

Serial No.

Diary No. of letter replied to .....

General and Revenue Secretariat

( )

the *193* .

Date of issue 5.4.32

Signed by Dr. B. Ramakrishna

List of enclosures .....

Copied by .....

Examined by .....

No 1408/Dev/Enc 6 dtd 6.6.

To The M.C.

Sir, With reference to correspondence ending with letter No. 1370/30-31 dt 13.2.32, I am directed to observe that it is not desirable to spend Rs 10,010 on a car for the Sri Subrahmanya Swami temple at Ghati, Doddaballapur Taluk. Govt consider that a small car capable of being easily handled at a cost not exceeding Rs 3000/- will meet the requirements of the temple and may be arranged for. The design of the car constructed last year by a Mysore Sowcar for the Nidumbaloor temple, Trivandrum Taluk

may perhaps be adopted by this arrangement, Rs 7000/- will be released from the amount proposed for the car and may with advantage be utilised for effecting other urgent improvements.

As regards the action taken and proposed to be taken re Eg. Sinking of wells, extending Nursery kitchens and providing furniture and vessels and the construction of the Mahadwara, a further report is awaited.

Kindly record and return.

J Lavette

2/4/32

J D Leyton

J C Clegg

OFFICE OF THE MUZRAI COMMISSIONER
IN MYSORE

Bangalore, 23th July *1932.*

2/8.

FROM

S. P. RAJAGOPALACHARI, ESQ., B.A., B.L.,
Muzrai Commissioner in Mysore.

TO

S. Shamanna, Esq., B.A., 3. 1932
154.
Secretary to Government of His Highness
the Maharaja of Mysore,
Financial *Department.*

SIR,

With reference to your [illegible] No.1403/ Muz.4/5th April 1932 [illegible] matter of the requirements of [illegible] Muzrai Subordinate to be set up in Doddaballapur Taluk I have the honour to state as follows:-

2. The Deputy Commissioner [illegible] in his [illegible] No.A.3-1031 of [illegible] dated 10/21st July 1932 that [illegible] considered [illegible] to be [illegible] Mysore Darbar to [illegible] of the [illegible] of the [illegible] temples [illegible] that he would take further [illegible] to [illegible] as were [illegible], the Deputy Commissioner has been requested to submit [illegible] estimate for Rs.306/- [illegible] to receipt [illegible] in the matter.

3. As regards [illegible] Deputy Commissioner [illegible] the soil has [illegible] that [illegible] has proposed [illegible] of the [illegible] of [illegible] also requested [illegible] possible [illegible].

4. The estimate [illegible] Rs.3-4-0 [illegible]

the estimates for car, road and water supply are sanctioned.

I have the honor to be,

Sir,

Your most obedient servant,

Mazagon

Muzrai Commissioner.

MYSORWORKS Mis 285-28-12



Encls. 10520 1 letter & 1 file = 2

PUBLIC WORKS DEPARTMENT.

CENTRAL OFFICE,

Dated Bangalore.....17...April. . . . .193 3.

FROM

M. G. RANGAIYA, ESQ., B.A., B.E., M R.SAN.I , M.AM A.E.,
Chief Engineer of Mysore,
Bangalore.

To

The Secretary to Government,

Financial Department, Bangalore.

I/1814

Subject:- Matalling the road and repairing the Irish drain across the road leading from Nakalidrug Railway Station to Sri Subbramanyaswami Temple at Ghati, Doddaballapur Taluk.

Sir,

I have the honor to forward herewith for favour of sanction in the circumstances stated, a modified estimate amounting to Rs 2,585/- for the above work received from the Muzrai Commissioner in Mysore, with his letter No.743/29-30 dated the 23rd March 1933 (copy enclosed).

I have the honor to be,
Sir,
Your most obedient servant,

G Ramachandra Ayyar 15/3
Chief Engineer of Mysore.
in charge

M.C.P.

Letter No.743/29-30 dated the 28th March 1933 from the Muzrai Commissioner in Mysore, to the Chief Engineer of Mysore, Bangalore.

With reference to Government Order No.1221-3/Muz.285-28-10 dated the 27th November 1930 sanctioning an estimate for Rs 4,900/- for metalling the road and repairing the Irish drain across the road leading from Makalidrug Railway Station to Sri Subbramanya Swamy temple at Ghati, Doddaballapur Taluk, I have the honor to forward herewith for favour of scrutiny and obtaining sanction of Government a modified estimate for Rs 2,585/- received from the Deputy Commissioner, Bangalore District. The Dharmadarsis and the local officers are not in favour of spending any heavy amount on the road as the amount available at the credit of the Institution is not sufficient to meet the several other urgent items such as the building of a car and providing for improved water supply at the locality.

2. In these circumstances the modified estimate for Rs 2,566 may be submitted for sanction, the estimate for Rs 4,900/- already sanctioned being cancelled.

3. The file containing the estimates is enclosed.

" Copy "

P. Lakshmanacha

MCP. For Chief Engineer of Mysore.

4-33

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read:-

Government Order No.1221-3 Muz 285-28-10 dated 27th November 1930, sanctioning an estimate for Rs.4900/- for metalling the road and repairing the Irish drain across the road leading from Heklidurg Railway Station to Sri Subramanyaswami temple at Ghati in Kodballapur Taluk, the cost being met from the funds at the credit of the Institution.

2. Letter No.10520 dated 17th April 1933 from the Chief Engineer forwarding for sanction a modified estimate for Rs.2585 - for the work referred to in the order read above received by him from the Muzrai Commissioner with his letter No.743/29-30 dated the 28th March 1933.

Order No. 1691-3/Muz 285-28-32-12 Income 4/6
Dated Bangalore, 18th May 1933. Chief Engr
25-5

Government are pleased to sanction the modified estimate for Rs. 2585/- only the cost being met from the funds at the credit of the Institution. The original estimate for Rs.4900/- is cancelled.

By Order,
Financial Secretary to Government.

95

To

The Muzrai Commissioner in Mysore.
The Comptroller to Government.
The Chief Engineer of Mysore, with records.

9/29

ACh.4.

SUBJECT .....

.....

.....

Diary No. of letter replied to ....

Section Mucg

File No. 285 –

Serial No. 12

General and Revenue Secretariat

( )

the *193*

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 25-5-34

Read—

G.O no 1221-3/ Mucg

285-28-10 dy 27-11-1930

Sanctioning an estimate for

Rs 4900/— for metalling

the road and repairing

the Irish drain across

the road leading from

Makali Dng Rly Station

to Sri Subrahmanyaswami

temple at Ghatigodu Bullapura

Vic. the cost being met

from the funds at the Credit

of the Cust.

2) Letter no 10520

dy 17-4-33 from the

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ?

Signed by B. Muddukrishna

forwarding for sanction
a modified estimate for Rs
25·85/— for the work purpose
of repl in the order read
above received by from
the D.C. vide his letter no
743/29-30 dt 28/8/33.
order no— dt
In modification
of the order read above
I am pleased to
sanction the modified estimate
for Rs 25·85/— only —
the cost being met from
the funds in the Credit
of the Deptt — The original
estimate for Rs. 4900/- is cancelled
17/8/33
for Exec

To
The M.C
The Comptr
The C.E. Works records —

List of Enclosure

Copied by

Examined by

No. B 438 Eve 26
33-34

GENL. 372 - OCT. 1933

OFFICE OF THE MUZRAI COMMISSIONER
IN MYSORE.

Dated, Bangalore, 28th September 1933.
30.

FROM

M. Madhava Rau, Esq., B.A., B.L.,
~~SRINIVASAYYANGAR, ESQ., M.A., B.L.~~
Muzrai Commissioner in Mysore.



TO

A. J. Balakrishna, Esq., M.A.,
Secretary to the Government of His Highness
the Maharaja of Mysore.
~~Financial~~ *Department.*

SIR,

In continuation of this office letter No. .744/29-30 dated 2nd August 1929 re: the requirements of the Sri Subramanya temple at Gooti, Madhugiri taluk, I have the honour to forward herewith for sanction an estimate for Rs.17,000/- prepared by the Executive Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, for the supply of water from the existing reservoir at the small temple on the Jodi Gudda by means of pipes as per sketch as follows.-

2. The Deputy Commissioner, Bangalore District, reports that the Madrasis are agreeable to the scheme being undertaken by Government and accept their share of the cost. He proposes that a sum of Rs.7,000/- in addition to Rs.10,000/- that could be made available from the temple funds may be advanced from the General Muzrai Fund or any other source to be repaid in eight annual instalments.

3. The temple had Rs.6,36-/-11 as cash on the 1st July 1933 and Rs.12,000/- is invested. As it is not desirable to disturb the entire cash balance available at the credit of the temple for the time, and, as no advance can be given from the General Fund, I recommend that the estimate, as also the plans, may be returned to the Deputy Commissioner, Bangalore, for the collection of Rs.6,000/- by voluntary contributions and for the Sri Devasthanam Temple to subscribe, should the

at 4 interest repayable in 6 annual instalments. This institutio at its credit a cash balance of Rs.7,337-7-2 at the end of July 1933.

4. The estimates and plan together with a copy of the Deputy Commissioner's letter are enclosed herewith.

I have the honor to be,

Sir,

Your most obedient servant,

Assistant Commissioner.

Letter No.C3-2867/32-33 dated 15-9-33 from the Deputy Commissioner, Kolar District, to the Muzrai Commissioner in Mysore.

I have the honor to forward herewith for obtaining the sanction of Government an estimate amounting to Rs. 17,660/- received from the Executive Sanitary Engineer, Bangalore, with his letter No.204 dated 29th July 1933 for giving water facilities at the Jatra at Ghati in Bodhalla ur Taluk fro the dam across the jungle stream close by, and to state that the question water supply to the men and cattle that gather at the place at the time the annual jatra which is a most popular one in the State is a very long and urgent necessity. The scheme was discussed with the Dharmadarsis at time when I last visited Ghati on 14-7-33 in company with Mr. Nicholls, a they are agreeable to the scheme being worked out as no other easier and cheaper method could be brought of. The present estimate has been prepar in consultation with the Sanitary Engineer and meets all the requirements the place.

There are some more works connected with the temple which are equally urgent and important such as the construction of a car, repairs to the roa that leads from the Kolar Railway Station to the temple and the construction of an Irish drain across the Pandi Halla, electrification of the temple and its premises, construction of the Gopuram to the temple etc. The temple can spare only a sum of Rs. 10,000/- out of the amount available at its credi for water supply scheme. The balance of the estimated, viz., Rs. 7,660/- may be advanced by Government - sanctioned out of the General Muzrai Funds and the State grant for the current year or any other source subject to adjustment from the institution funds by 3 annual instalments of Rs. 1000/- each.

Early sanction of Government may kindly be obtained in the matter as the scheme will have to be worked out and put into operation before the next Jatra which comes off in the month of December 1933.

The estimate together with the plan of the scheme and a copy of the port received from the Executive Sanitary Engineer are enclosed herewith

---

"COPY"

For Muzrai Commissioner.

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read:

Correspondence ending with letter No.C.438/33-34 dated the 30th September 1933, from the Muzrai Commissioner in Mysore, submitting for sanction an estimate for Rs.17,680/- prepared by the -- Executive Sanitary Engineer, Bureau of Sanitary Engineering, -- Bangalore, for the supply of water from the existing reservoir to the Sri Subramanyaswami Temple at Ghati, in Doddaballapur Taluk, and the Jatra grounds by means of pipes and recommending, as regards the financing of the scheme, that Rs.10,000/- may be made available from the funds of the said temple; and that Rs.6,000/- may be sanctioned as a loan to the above temple from the funds of the Sri Narasimharaswami Temple at Sugganahalli, Nagadi Taluk, carrying interest at 4 per cent, the principal with interest being repayable in six annual instalments and that the establishment tools and plant charges on the above work may be waived, as a special case, in view of the utility of the project.

2. Unofficial Note No.150 dated the 1st November 1933 by the Chief Engineer on the subject.

636-8/Misc 285-28-16.

Bangalore, dated the 10th November 1933.

The estimate is sanctioned for Rs.16,000/- only, the establishment, tools and plant charges amounting to Rs.1,650/- being waived as recommended.

The other recommendations of the Muzrai Commissioner are also approved.

B Muthanna
Financial Secretary to Government.

To

The Muzrai Commissioner in Mysore, with plan and estimate.
The Controller to Government.
The Chief Engineer of Mysore.

VVK.4.

Proceedings of the Government of H.H.
the Maharaja of Mysore.

R e a d:-

Correspondence ending with letter No.C.438/33-34 dated 30-9-1933, from the Muzrai Commissioner in Mysore, submitting for sanction an estimate for Rs.17,680/- prepared by the Executive Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, for the supply of water from the existing reservoir to the Sri Subramanyaswami Temple at Ghati, in Doddaballapur Taluk, and the Jatra ground, by means of pipes and recommending, as regards the financing of the scheme, that Rs.10,000/- may be made available from the funds of the said temple; and that Rs.6,000/- may be sanctioned as a loan to the above temple from the funds of the Sri Narasimaswamy Temple at Sugganahalli, Magadi Taluk, carrying interest at 4% the principal with interest being repayable in six annual instalments and that the establishment, tools and plant charges the above work may be waived, as a special case, in view of the utility of the project.

2. U.O. Note No.15-3 dy 1-11-33 by the Chief Engineer on the subject.

ORDER NO. 636-5 Mung 28-5-28-1/

Dated, 10 November 19--

being waived as recommended.

The other recommendations of the Muzrai Commissioner are also approved

(Sd DRAFT) 9.11.33

Financial Secretary to Govt.

9/11/33

To

The Muzrai Commr. in Mysore, with plan and estimate.
" Comptroller to Govt.
" Chief Engineer of Mysore.

M.M.P.1/9-11.